



AUG 16 2005

MGEIB

375 cust_id
167850 insp_id
11902 site_id

INSPECTION REPORT

ROCKLAND INC

Customer ID: 375

Certificate: 23-R-0134

Site: 001

ROCKLAND, INC.

Inspection

Type: ROUTINE INSPECTION

Date: AUG-09-2005

PO BOX 326
GILBERTSVILLE, PA 19525

3.56 (c)

SANITATION.

Section 3.56(c) Housekeeping: Premises shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in this subpart.

The tube lights in the rabbit rooms have no covers and are not in protective plastic tubes. If a light breaks there is nothing to prevent the broken glass from falling into the rabbit enclosures or into the food receptacles on the enclosures. The lights need adequate safeguards to protect the animals from potential exposure to broken glass.

Correct by September 22, 2005.

Note: The searches for alternatives are due to be updated this year.

Prepared By:

Mary E Geib

MARY GEIB, D V M , USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER , Inspector ID: 1021

Received By: (b)(6), (b)(7)c

Title

Date:

AUG-09-2005

Date:

AUG-09-2005